Revision date: 26/09/2016 Revision: 4 Supersedes date: 05/02/2016



# SAFETY DATA SHEET TRADE CLUB 5W-30 FE

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name TRADE CLUB 5W-30 FE

Product number UKTOFL04, UKTOTW04, UKTOBA04

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Engine oil.

1.3. Details of the supplier of the safety data sheet

Supplier

Vauxhall Trade Club

Griffin House, UK1-102-303, Osborne Road, Luton, Bedfordshire, LU1 3YT

0844 840 8289

1.4. Emergency telephone number

Emergency telephone 0844 840 8289

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

**Environmental hazards** Aquatic Chronic 3 - H412

Classification (67/548/EEC or R52/53

1999/45/EC)

1102/00

2.2. Label elements

**Hazard statements** H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P273 Avoid release to the environment.

P501 Dispose of contents/ container in accordance with national regulations. P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision date: 26/09/2016 Revision: 4 Supersedes date: 05/02/2016

## **TRADE CLUB 5W-30 FE**

LUBRICATING OILS, (PETROLEUM), C20-50,

30-<60%

HYDROTREATED NEUTRAL OIL-BASED <3% DMSO

EXTRACT (IP346)

CAS number: 72623-87-1 EC number: 276-738-4 REACH registration number: 01-

2119474889-13

Classification Classification (67/548/EEC or 1999/45/EC)

Asp. Tox. 1 - H304 -

MINERAL OIL - H304 (<3% DMSO EXTRACT, IP 346)

5-<10%

CAS number: 64742-55-8 EC number: 265-158-7 REACH registration number: 01-

2119487077-29-0000

Classification (67/548/EEC or 1999/45/EC)

Asp. Tox. 1 - H304 -

REACTION PRODUCTS OF BENZENEAMINE, N-PHENYL-

1-<2.5%

WITH NONENE (BRANCHED)

CAS number: — EC number: 253-249-4

REACH registration number: 01-

2119488911-28-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Aquatic Chronic 4 - H413 R53.

DODECYLPHENOL, MIXED ISOMERS (BRANCHED)

0.1-<0.3%

CAS number: — EC number: 310-154-3 REACH registration number: 01-

2119513207-49-0000

M factor (Acute) = 10 M factor (Chronic) = 10

Classification

Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

Repr. 2 - H361f

Repr. Cat. 3;R62. Xi;R36/38. N;R50/53.

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

DIPHENYLAMINE 0.1-<0.3%

CAS number: 122-39-4 EC number: 204-539-4 M factor (Acute) = 1 M factor (Chronic) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 3 - H301 T;R23/24/25 R33 N;R50/53

Acute Tox. 3 - H311

Acute Tox. 3 - H331

STOT RE 2 - H373

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### TRADE CLUB 5W-30 FE

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information Get medical attention if any discomfort continues. Remove affected person from source of

contamination. Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing.

Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing.

**Ingestion** Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with water.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue,

dizziness and nausea.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea,

headache, dizziness and intoxication.

Skin contact Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Eye contact** May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion

hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of carbon.

## 5.3. Advice for firefighters

Special protective equipment

Leave danger zone immediately.

for firefighters

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of

vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In

case of spills, beware of slippery floors and surfaces.

#### TRADE CLUB 5W-30 FE

#### 6.2. Environmental precautions

**Environmental precautions** 

Avoid or minimise the creation of any environmental contamination. Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

#### 6.4. Reference to other sections

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

#### Occupational exposure limits

No exposure limits known for ingredient(s).

## **DIPHENYLAMINE**

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 20 mg/m<sup>3</sup> WEL = Workplace Exposure Limit

## 8.2. Exposure controls

#### Protective equipment







## Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Revision date: 26/09/2016 Revision: 4 Supersedes date: 05/02/2016

## TRADE CLUB 5W-30 FE

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Unless the assessment indicates a higher degree of protection is

required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves.

Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash contaminated clothing before reuse. Wash promptly with soap and water if skin

becomes contaminated.

**Respiratory protection** No specific recommendations.

## SECTION 9: Physical and Chemical Properties

## 9.1. Information on basic physical and chemical properties

**Appearance** Clear liquid.

Colour Brown.
Odour Oil-like.

Odour threshold Not determined.

**pH** Not determined.

Melting point Not determined.

Initial boiling point and range >250°C @

Flash point 220°C

**Evaporation rate** Not determined.

**Evaporation factor** Not determined.

Flammability (solid, gas) Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Other flammability Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 0.854g/cm³ @ 20°C

Bulk density Not determined.

Solubility(ies) Insoluble in water.

Partition coefficient Not determined.

**Auto-ignition temperature** Not determined.

**Decomposition Temperature** Not determined.

Viscosity 50.0 mm²/s @ 40°C

**Explosive properties** Not considered to be explosive.

Revision date: 26/09/2016 Revision: 4 Supersedes date: 05/02/2016

## TRADE CLUB 5W-30 FE

**Explosive under the influence** Not considered to be explosive.

of a flame

Oxidising properties Not available. Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

#### SECTION 10: Stability and reactivity

## 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

#### 10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

## 10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - oral

87,719.3 ATE oral (mg/kg)

Acute toxicity - dermal

ATE dermal (mg/kg) 263,157.89

Acute toxicity - inhalation

ATE inhalation (gases ppm) 614,035.09

ATE inhalation (vapours mg/l) ATE inhalation (dusts/mists

438.6

2,631.58

mg/l)

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged and frequent contact may cause redness and irritation.

Eye contact May cause temporary eye irritation.

## SECTION 12: Ecological Information

Revision date: 26/09/2016 Revision: 4 Supersedes date: 05/02/2016

## TRADE CLUB 5W-30 FE

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Acute toxicity - fish Not available. Acute toxicity - aquatic

invertebrates

Not available.

#### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

## 12.3. Bioaccumulative potential

No data available on bioaccumulation. Bioaccumulative potential

Partition coefficient Not determined.

12.4. Mobility in soil

Adsorption/desorption

coefficient

Not available.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

#### 12.6. Other adverse effects

Other adverse effects Not available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Confirm disposal procedures with environmental engineer and local regulations.

## **SECTION 14: Transport information**

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

## TRADE CLUB 5W-30 FE

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 26/09/2016

Revision 4

Supersedes date 05/02/2016

SDS number 32312

SDS status Approved.

Hazard statements in full H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.