







RECYCLED PRODUCTS













RECYCLING PRODUCTS: manufacturing of new products from recycled materials (post-production or post-consumer waste); The products are compliant with STELLANTIS original specifications.

Recycling Process



Waste collection: Gathering waste materials from industrial operations for treatment and repurposing into new products.



Refining: Separation and purification of waste materials gathered, in order to remove impurities and prepare them for recycling (return process without contaminants).



Mixing: Add additional additives to a substance, enhancing its properties or performance.



Quality controls: Test and inspection of the products at various stages of production to ensure that products meet specific quality standards.



Packaging: The product is packaged in recycled packaging.

Customer benefits

Sustainable product

Same Warranty as OE original products

Repairer benefits

Green maintenance, important for B2B customer

Packaging

- 100% recyclable packaging and at least 50% recycled plastic content
- Environmentally responsible packaging materials and management are paramount to our goal of sustainable business practices

Good for the Customer, good for the Business, good for the Planet! By buying Recycled products you are part of the Circular Economy.







TECHNICAL LIQUIDS

COOLANT

FAMILY CODE: 44670 / 64111



PRODUCT BENEFITS

- Made with a MEG mono ethylene glycol base from industry (production waste).
- The Ready-to-Use Liquid uses it and is specifically formulated to respect the environment: free of nitrates, borates & amines. No silicates.
- Packaging made from minimun 50% recycled plastic HDPE* excluding the cap (except the 210L Drum).

* HDPE: high density polyethylene

TECHNICAL SPECIFICATIONS

- Coolant formula is composed of 3 mains components:
- Monoethylene glycol
- Demineralized Water
- A proprietary package of corrosion inhibitors, stabilizers, pH(acidity) buffers, dye, bitterant and defoamer.
- To ensure the best quality/performance ratio, our coolant fluids are tested and validated to meet manufacturer requirements.



NON-EMITTED CO₂*: Under investigation



MATERIAL SAVINGS*: Under investigation



At least **50%**

RECYCLED PACKAGING*

^{*} Recycled plastic excluding the cap (except the 210L Drum) The drums are





USE

- The cooling liquid is resistant to weather conditions up to -25°C and limits the deposits of limescale in the system. It also acts as a corrosion preventative as the different metals that make up the engine oxidize over time. This is why it is necessary to check its level regularly.
- The cooling liquid is compatible with all service intervals for all Stellantis brands.

TERMS OF USE

• The coolant fluid should be use for frost and corrosion all year round.

DID YOU KNOW?

- Made with a MEG mono ethylene glycol base the RECYCLE coolant fluid ensures optimal use both in summer and winter (-25° compatible).
- Cooling fluid provides protection to the engine against freezing and over heating. It is compatible with elastomers and common metals and ensures efficient heat transfer.

REGULATIONS

Attention

H373

Contient:

Ethylene glycol + Embittering agent





RANGE

• Offered in 2L, 5L or 210L, the SUSTAINera coolant fluid range is developed to provide you with the best possible solution in terms of cooling performance and environmental impact.











TECHNICAL LIQUIDS

ENGINE LUBRICANTS

FAMILY CODE: 54014





PRODUCT BENEFITS

- With an advanced high quality formulation, the oil provides excellent antiwear properties.
- The oil delivers improved piston cleanliness thanks to a formulation with superior detergency.

TECHNICAL SPECIFICATIONS

TOTAL ENERGIES

• The Quartz EV3R 10W-40 is a premium circular economy synthetic technology engine oil, formulated using 100% high-quality regenerated base oils.

PETRONAS

• The ingredient of Selenia SUSTAINera engine oil consists of 30% recycled base oil (re-refined base oil).



NON-EMITTED CO₂*: Under investigation



MATERIAL SAVINGS*: Under investigation



At least **50%**

RECYCLED PACKAGING*





USF

• The oil has the same performance and durability as the OE new oil.

TERMS OF USE

• The oil should be used to lubrificate the engine. Its grade defines its fluidity at cold and at hot temperatures.

DID YOU KNOW?

- The engine oil performs various tasks aimed at protecting your vehicle's engine from wear and tear and ensuring its proper operation.
- Engine oil plays an essential role in the proper functioning of your vehicle by promoting engine performance and extending its life.

REGULATIONS

TOTAL ENERGIES

International specifications:

- API SN
- ACEA A3/B4

Manufacturer' approvals:

• PSA B71 2300

PETRONAS

International specifications:

- ACEA C2 + ACEA C3
- API SP

Manufacturer' approvals:

- FCA 9.55535-S1
- FCA 9.55535-S2
- FCA 9.55535-T2



RANGE

These oils insure the engine protection performance without compromising on product quality and contribute to environmental sustainability.

TOTAL ENERGIES

• The Quartz EV3R 10W-40 is offered in 1L and 5L eco-design bootles (20L bag-in-box is in progress).

PETRONAS

- Selenia SUSTAINera K Pure Energy 5W-40
- Selenia SUSTAINera Multipower Gas 5W-40
- Selenia SUSTAINera WR Pure Energy 5W-30
- The Selenia SUSTAINera is offered in 1L, 5L.









TECHNICAL LIQUIDS

WINDSCREEN WASHER FLUID

FAMILY CODE: 44905 / 64114



PRODUCT BENEFITS

- Composed of 100% regenerated alcohol, its use is less harmful than methanol.
- Super degreaser, leaves no residue for enhanced visibility.
- Diffuses a pleasant lemon fragrance in the vehicle interior.
- Packaging made from minimun 50% recycled plastic HDPE* excluding the cap (except the 210L Drum).

* HDPE: high density polyethylene

TECHNICAL SPECIFICATIONS

- The SUSTAINera windshield washer fluids is specially formulated without colorants.
- To ensure the best quality/performance ratio, our windshield washer fluids are tested and validated to meet manufacturer requirements.



NON-EMITTED CO₂*: Under investigation



MATERIAL SAVINGS*: Under investigation



At least **50%**

RECYCLED PACKAGING*

^{*} Recycled plastic excluding the cap (except the 210L Drum) The drums are





USE

• The windshield washer fluid has resistance to weather conditions up to -20°C and can be used in almost all countries.

TERMS OF USE

- The windscreen washer fluid should be considered an essential safety feature of your vehicle.
- Reduced visibility due to dirt, grease or streaks on the windscreen has the potential to affect passenger safety.

DID YOU KNOW?

• Based on 100% regenerated alcohol, the RECYCLE windshield washer fluid ensures optimal use both in summer and winter.

REGULATIONS

• Regulation EC No 648/2004 (composition based on surfactants).



RANGE

 Offered in 1L, 5L or 210L, the SUSTAINera windshield washer fluid range is developed to provide you with the best possible solution in terms of cleaning performance and environmental impact.











WANT TO KNOW MORE ABOUT RECYCLED PRODUCT?

Visit our website www.sustainera.com



Stellantis NV - a limited liability company (naamloze vennootschap) under Dutch law whose head offi ce is in Amsterdam, The Netherlands - Registered in the Dutch Trade Register under number 60372958, with French branch registered in the Trade and Companies Register of Versailles under number 879 786 885 - www.stellantis.com